

# LTC Stats:

## Nursing Facility Patient Characteristics Report

**March 2011 Update**

Prepared By

Research Department  
American Health Care Association



# LTC Stats: Nursing Facility Patient Characteristics Report

## Table of Contents

Table 1: Nursing Facility Patient Overview .....	3
Table 2: Patients by Payor – Number of Patients .....	4
Table 3: Patients by Payor – Percentage of Patients.....	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency.....	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency .....	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency .....	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency.....	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency .....	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications .....	12
Table 11: Medical Condition – Mobility .....	13
Table 12: Medical Condition – Mental Status .....	14
Table 13: Medical Condition – Weight Loss and Communication .....	15
Table 14: Medical Condition – Advance Directives and Vaccinations .....	16
Table 15: Medical Condition – Skin Integrity .....	17
Table 16: Medical Condition – Special Care.....	18
Glossary of Terms.....	21
Contact Information.....	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of March 2011



**Table 1: Nursing Facility Patient Overview, March 2011**

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,693	1,395,866	88.9	81.0	4.08
AK	15	640	42.7	23.0	4.12
AL	228	23,009	100.9	94.5	4.11
AR	233	17,966	77.1	76.0	3.83
AZ	139	11,750	84.5	81.0	4.06
CA	1,235	102,599	83.1	80.0	4.22
CO	213	16,192	76.0	73.0	3.99
CT	238	25,837	108.6	105.5	3.83
DC	19	2,589	136.3	116.0	4.07
DE	46	4,032	87.7	93.5	3.88
FL	679	72,069	106.1	108.0	4.21
GA	360	34,501	95.8	92.0	4.22
HI	48	3,878	80.8	77.0	4.54
IA	442	25,368	57.4	51.0	3.81
ID	79	4,360	55.2	53.0	4.22
IL	783	74,529	95.2	80.0	3.63
IN	506	39,156	77.4	71.0	4.19
KS	341	19,092	56.0	48.0	3.80
KY	285	23,333	81.9	82.0	4.19
LA	282	25,421	90.1	91.0	4.02
MA	427	42,831	100.3	103.0	4.10
MD	231	24,776	107.3	103.0	4.18
ME	109	6,379	58.5	53.0	4.36
MI	427	39,862	93.4	91.0	4.16
MN	385	29,296	76.1	61.0	3.91
MO	516	37,826	73.3	68.0	3.79
MS	203	16,506	81.3	76.0	4.07
MT	85	4,885	57.5	53.0	4.16
NC	422	37,269	88.3	91.0	4.24
ND	85	5,631	66.2	50.0	3.82
NE	222	12,680	57.1	47.5	4.02
NH	78	6,910	88.6	80.0	3.89
NJ	361	45,881	127.1	115.0	4.00
NM	70	5,590	79.9	77.0	4.25
NV	50	4,734	94.7	90.0	4.14
NY	635	109,054	171.7	150.0	4.19
OH	962	79,157	82.3	80.0	4.24
OK	315	19,267	61.2	56.0	3.72
OR	137	7,519	54.9	49.0	4.20
PA	710	80,962	114.0	104.5	4.15
RI	85	8,041	94.6	92.0	3.80
SC	186	17,261	92.8	86.5	4.42
SD	110	6,528	59.3	50.5	3.85
TN	321	32,181	100.3	96.0	4.32
TX	1,176	91,427	77.7	76.0	4.03
UT	100	5,348	53.5	52.0	4.36
VA	287	28,327	98.7	100.0	4.22
VT	40	2,903	72.6	62.0	4.08
WA	229	18,050	78.8	80.0	4.23
WI	393	30,486	77.6	68.0	3.95
WV	127	9,549	75.2	66.0	4.17
WY	38	2,429	63.9	53.5	3.90

Source: CMS Form 672: F78 - F93  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 2: Nursing Facility Patients by Payor -  
Number of Patients, March 2011**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,395,866	198,799	887,555	309,512
AK	640	92	468	80
AL	23,009	3,065	15,679	4,265
AR	17,966	2,073	12,177	3,716
AZ	11,750	1,648	7,390	2,712
CA	102,599	14,642	68,361	19,596
CO	16,192	1,887	9,662	4,643
CT	25,837	3,910	17,308	4,619
DC	2,589	285	2,117	187
DE	4,032	661	2,340	1,031
FL	72,069	15,003	41,965	15,101
GA	34,501	4,294	24,848	5,359
HI	3,878	369	2,698	811
IA	25,368	2,049	11,968	11,351
ID	4,360	666	2,711	983
IL	74,529	11,199	46,991	16,339
IN	39,156	6,439	24,239	8,478
KS	19,092	1,912	10,235	6,945
KY	23,333	3,603	15,312	4,418
LA	25,421	3,047	18,502	3,872
MA	42,831	5,851	27,064	9,916
MD	24,776	4,214	15,109	5,453
ME	6,379	1,144	4,116	1,119
MI	39,862	7,443	24,983	7,436
MN	29,296	3,064	16,307	9,925
MO	37,826	4,693	22,996	10,137
MS	16,506	2,590	12,296	1,620
MT	4,885	507	2,808	1,570
NC	37,269	5,962	24,810	6,497
ND	5,631	416	3,021	2,194
NE	12,680	1,535	6,696	4,449
NH	6,910	1,006	4,370	1,534
NJ	45,881	8,187	28,794	8,900
NM	5,590	750	3,525	1,315
NV	4,734	805	2,725	1,204
NY	109,054	13,143	78,389	17,522
OH	79,157	9,835	49,819	19,503
OK	19,267	2,273	12,757	4,237
OR	7,519	1,044	4,587	1,888
PA	80,962	9,392	50,388	21,182
RI	8,041	746	5,187	2,108
SC	17,261	2,937	10,781	3,543
SD	6,528	583	3,603	2,342
TN	32,181	5,081	20,282	6,818
TX	91,427	13,292	57,690	20,445
UT	5,348	1,019	2,882	1,447
VA	28,327	5,150	17,381	5,796
VT	2,903	501	1,865	537
WA	18,050	3,127	10,804	4,119
WI	30,486	4,115	18,216	8,155
WV	9,549	1,246	6,895	1,408
WY	2,429	304	1,438	687



**Table 3: Nursing Facility Patients by Payor - Percentage of Patients, March 2011**

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,395,866	14.2%	63.6%	22.2%
AK	640	14.4%	73.1%	12.5%
AL	23,009	13.3%	68.1%	18.5%
AR	17,966	11.5%	67.8%	20.7%
AZ	11,750	14.0%	62.9%	23.1%
CA	102,599	14.3%	66.6%	19.1%
CO	16,192	11.7%	59.7%	28.7%
CT	25,837	15.1%	67.0%	17.9%
DC	2,589	11.0%	81.8%	7.2%
DE	4,032	16.4%	58.0%	25.6%
FL	72,069	20.8%	58.2%	21.0%
GA	34,501	12.4%	72.0%	15.5%
HI	3,878	9.5%	69.6%	20.9%
IA	25,368	8.1%	47.2%	44.7%
ID	4,360	15.3%	62.2%	22.5%
IL	74,529	15.0%	63.1%	21.9%
IN	39,156	16.4%	61.9%	21.7%
KS	19,092	10.0%	53.6%	36.4%
KY	23,333	15.4%	65.6%	18.9%
LA	25,421	12.0%	72.8%	15.2%
MA	42,831	13.7%	63.2%	23.2%
MD	24,776	17.0%	61.0%	22.0%
ME	6,379	17.9%	64.5%	17.5%
MI	39,862	18.7%	62.7%	18.7%
MN	29,296	10.5%	55.7%	33.9%
MO	37,826	12.4%	60.8%	26.8%
MS	16,506	15.7%	74.5%	9.8%
MT	4,885	10.4%	57.5%	32.1%
NC	37,269	16.0%	66.6%	17.4%
ND	5,631	7.4%	53.6%	39.0%
NE	12,680	12.1%	52.8%	35.1%
NH	6,910	14.6%	63.2%	22.2%
NJ	45,881	17.8%	62.8%	19.4%
NM	5,590	13.4%	63.1%	23.5%
NV	4,734	17.0%	57.6%	25.4%
NY	109,054	12.1%	71.9%	16.1%
OH	79,157	12.4%	62.9%	24.6%
OK	19,267	11.8%	66.2%	22.0%
OR	7,519	13.9%	61.0%	25.1%
PA	80,962	11.6%	62.2%	26.2%
RI	8,041	9.3%	64.5%	26.2%
SC	17,261	17.0%	62.5%	20.5%
SD	6,528	8.9%	55.2%	35.9%
TN	32,181	15.8%	63.0%	21.2%
TX	91,427	14.5%	63.1%	22.4%
UT	5,348	19.1%	53.9%	27.1%
VA	28,327	18.2%	61.4%	20.5%
VT	2,903	17.3%	64.2%	18.5%
WA	18,050	17.3%	59.9%	22.8%
WI	30,486	13.5%	59.8%	26.7%
WV	9,549	13.0%	72.2%	14.7%
WY	2,429	12.5%	59.2%	28.3%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, March 2011**

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.85%	62.52%	33.63%	96.15%
AK	4.69%	65.78%	29.53%	95.31%
AL	2.52%	58.29%	39.19%	97.48%
AR	6.17%	60.04%	33.79%	93.83%
AZ	3.00%	68.37%	28.63%	97.00%
CA	4.22%	55.40%	40.37%	95.78%
CO	3.61%	69.03%	27.37%	96.39%
CT	5.88%	57.58%	36.54%	94.12%
DC	7.84%	46.35%	45.81%	92.16%
DE	5.21%	50.64%	44.15%	94.79%
FL	2.80%	62.42%	34.77%	97.20%
GA	2.70%	53.45%	43.85%	97.30%
HI	0.98%	53.84%	45.18%	99.02%
IA	1.54%	79.54%	18.92%	98.46%
ID	1.90%	75.32%	22.78%	98.10%
IL	10.85%	70.95%	18.19%	89.15%
IN	3.23%	68.51%	28.26%	96.77%
KS	4.36%	71.52%	24.13%	95.64%
KY	2.00%	60.51%	37.49%	98.00%
LA	4.17%	63.59%	32.24%	95.83%
MA	4.13%	55.19%	40.68%	95.87%
MD	4.36%	47.11%	48.53%	95.64%
ME	2.73%	62.50%	34.77%	97.27%
MI	1.67%	72.28%	26.05%	98.33%
MN	2.82%	75.06%	22.12%	97.18%
MO	5.66%	69.57%	24.78%	94.34%
MS	2.11%	68.43%	29.46%	97.89%
MT	1.45%	77.79%	20.76%	98.55%
NC	3.21%	50.78%	46.01%	96.79%
ND	1.46%	79.19%	19.36%	98.54%
NE	1.22%	70.98%	27.80%	98.78%
NH	3.70%	70.56%	25.73%	96.30%
NJ	4.67%	57.58%	37.76%	95.33%
NM	2.11%	64.69%	33.20%	97.89%
NV	3.57%	57.94%	38.49%	96.43%
NY	4.21%	60.23%	35.56%	95.79%
OH	3.33%	68.66%	28.02%	96.67%
OK	4.99%	68.57%	26.44%	95.01%
OR	2.21%	71.70%	26.09%	97.79%
PA	4.11%	57.85%	38.04%	95.89%
RI	4.27%	66.65%	29.09%	95.73%
SC	1.55%	52.89%	45.56%	98.45%
SD	1.26%	80.30%	18.44%	98.74%
TN	1.71%	60.55%	37.75%	98.29%
TX	2.97%	59.00%	38.03%	97.03%
UT	3.07%	68.38%	28.55%	96.93%
VA	3.74%	49.27%	46.99%	96.26%
VT	5.61%	60.76%	33.62%	94.39%
WA	2.35%	73.19%	24.46%	97.65%
WI	2.51%	70.90%	26.59%	97.49%
WV	1.96%	53.29%	44.75%	98.04%
WY	1.98%	75.55%	22.48%	98.02%



**Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, March 2011**

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	9.68%	66.67%	23.66%	90.32%
AK	8.59%	72.03%	19.38%	91.41%
AL	7.76%	64.56%	27.68%	92.24%
AR	14.40%	61.29%	24.30%	85.60%
AZ	9.69%	68.68%	21.63%	90.31%
CA	7.68%	63.13%	29.19%	92.32%
CO	12.65%	70.60%	16.75%	87.35%
CT	11.43%	58.30%	30.26%	88.57%
DC	11.59%	49.71%	38.70%	88.41%
DE	12.20%	55.43%	32.37%	87.80%
FL	7.09%	64.82%	28.09%	92.91%
GA	7.88%	62.69%	29.42%	92.12%
HI	2.09%	67.84%	30.07%	97.91%
IA	12.17%	74.54%	13.29%	87.83%
ID	8.07%	76.83%	15.09%	91.93%
IL	18.82%	68.25%	12.93%	81.18%
IN	8.97%	73.47%	17.56%	91.03%
KS	16.65%	66.59%	16.77%	83.35%
KY	5.83%	67.33%	26.84%	94.17%
LA	14.28%	63.33%	22.39%	85.72%
MA	5.88%	59.00%	35.12%	94.12%
MD	7.11%	54.94%	37.95%	92.89%
ME	3.09%	77.94%	18.97%	96.91%
MI	6.75%	75.01%	18.24%	93.25%
MN	12.11%	76.41%	11.48%	87.89%
MO	16.37%	64.74%	18.89%	83.63%
MS	10.48%	72.59%	16.93%	89.52%
MT	11.50%	75.82%	12.67%	88.50%
NC	7.05%	64.84%	28.11%	92.95%
ND	12.11%	77.89%	10.00%	87.89%
NE	12.20%	70.90%	16.90%	87.80%
NH	10.52%	72.37%	17.11%	89.48%
NJ	9.73%	59.03%	31.24%	90.27%
NM	8.05%	69.05%	22.90%	91.95%
NV	9.70%	64.85%	25.45%	90.30%
NY	8.56%	64.27%	27.16%	91.44%
OH	7.91%	74.08%	18.00%	92.09%
OK	17.25%	62.26%	20.49%	82.75%
OR	7.00%	73.76%	19.24%	93.00%
PA	7.44%	68.28%	24.28%	92.56%
RI	10.21%	67.91%	21.88%	89.79%
SC	2.84%	65.52%	31.64%	97.16%
SD	14.02%	76.79%	9.19%	85.98%
TN	5.48%	67.43%	27.09%	94.52%
TX	12.11%	63.64%	24.26%	87.89%
UT	6.77%	77.49%	15.74%	93.23%
VA	7.68%	60.75%	31.57%	92.32%
VT	7.10%	68.93%	23.98%	92.90%
WA	7.13%	78.24%	14.63%	92.87%
WI	9.75%	73.18%	17.07%	90.25%
WV	7.63%	67.19%	25.18%	92.37%
WY	15.52%	69.62%	14.86%	84.48%



**Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, March 2011**

State	Independent	Assisted	Dependent	Total Eating Dependence
US	45.63%	39.56%	14.81%	54.37%
AK	46.72%	37.66%	15.63%	53.28%
AL	47.94%	33.05%	19.01%	52.06%
AR	52.54%	31.62%	15.84%	47.46%
AZ	50.74%	37.77%	11.49%	49.26%
CA	39.70%	38.57%	21.73%	60.30%
CO	46.83%	44.10%	9.07%	53.17%
CT	57.39%	25.79%	16.82%	42.61%
DC	40.59%	36.11%	23.29%	59.41%
DE	55.06%	28.84%	16.10%	44.94%
FL	44.87%	37.54%	17.58%	55.13%
GA	38.98%	43.02%	18.00%	61.02%
HI	33.55%	40.15%	26.30%	66.45%
IA	58.82%	33.64%	7.53%	41.18%
ID	44.15%	46.38%	9.47%	55.85%
IL	51.89%	38.49%	9.62%	48.11%
IN	38.69%	51.10%	10.21%	61.31%
KS	51.42%	39.56%	9.02%	48.58%
KY	48.23%	33.57%	18.20%	51.77%
LA	34.60%	51.53%	13.87%	65.40%
MA	51.75%	33.17%	15.08%	48.25%
MD	45.00%	35.39%	19.60%	55.00%
ME	46.42%	41.64%	11.95%	53.58%
MI	51.68%	35.97%	12.35%	48.32%
MN	55.71%	36.13%	8.16%	44.29%
MO	49.48%	39.87%	10.64%	50.52%
MS	43.53%	40.71%	15.76%	56.47%
MT	37.18%	53.37%	9.46%	62.82%
NC	42.85%	39.90%	17.25%	57.15%
ND	61.14%	31.34%	7.51%	38.86%
NE	47.61%	42.49%	9.90%	52.39%
NH	56.67%	33.91%	9.42%	43.33%
NJ	49.73%	32.79%	17.48%	50.27%
NM	35.87%	52.45%	11.68%	64.13%
NV	44.00%	40.96%	15.04%	56.00%
NY	38.76%	42.57%	18.68%	61.24%
OH	39.01%	49.51%	11.48%	60.99%
OK	52.71%	34.87%	12.43%	47.29%
OR	48.96%	38.90%	12.14%	51.04%
PA	47.38%	38.91%	13.70%	52.62%
RI	58.77%	30.00%	11.23%	41.23%
SC	39.19%	41.42%	19.38%	60.81%
SD	55.82%	37.48%	6.69%	44.18%
TN	37.78%	44.05%	18.18%	62.22%
TX	44.68%	40.09%	15.23%	55.32%
UT	32.42%	58.56%	9.01%	67.58%
VA	39.83%	41.82%	18.35%	60.17%
VT	51.22%	35.24%	13.54%	48.78%
WA	45.04%	43.80%	11.16%	54.96%
WI	57.03%	33.03%	9.95%	42.97%
WV	44.98%	39.34%	15.68%	55.02%
WY	48.13%	43.85%	8.03%	51.87%



**Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, March 2011**

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	14.60%	57.62%	27.78%	85.40%
AK	12.81%	56.72%	30.47%	87.19%
AL	13.70%	49.79%	36.51%	86.30%
AR	18.82%	51.11%	30.07%	81.18%
AZ	13.65%	59.08%	27.27%	86.35%
CA	11.85%	51.55%	36.60%	88.15%
CO	16.98%	62.90%	20.13%	83.02%
CT	19.58%	50.19%	30.23%	80.42%
DC	15.41%	41.33%	43.26%	84.59%
DE	17.41%	47.35%	35.24%	82.59%
FL	11.00%	56.43%	32.57%	89.00%
GA	12.63%	49.03%	38.34%	87.37%
HI	3.82%	54.02%	42.16%	96.18%
IA	19.79%	62.60%	17.61%	80.21%
ID	10.89%	69.08%	20.02%	89.11%
IL	25.65%	57.06%	17.29%	74.35%
IN	13.64%	67.53%	18.84%	86.36%
KS	21.76%	60.06%	18.18%	78.24%
KY	10.88%	59.29%	29.82%	89.12%
LA	20.65%	51.69%	27.66%	79.35%
MA	12.93%	57.15%	29.92%	87.07%
MD	11.18%	47.89%	40.93%	88.82%
ME	4.50%	74.93%	20.57%	95.50%
MI	10.22%	66.80%	22.98%	89.78%
MN	16.55%	69.81%	13.64%	83.45%
MO	22.39%	55.90%	21.71%	77.61%
MS	16.24%	59.46%	24.30%	83.76%
MT	15.07%	67.88%	17.05%	84.93%
NC	10.27%	56.48%	33.24%	89.73%
ND	18.27%	68.30%	13.43%	81.73%
NE	15.45%	63.94%	20.62%	84.55%
NH	17.79%	62.40%	19.81%	82.21%
NJ	16.55%	51.72%	31.73%	83.45%
NM	12.22%	61.07%	26.71%	87.78%
NV	12.86%	57.65%	29.49%	87.14%
NY	13.00%	56.11%	30.90%	87.00%
OH	11.69%	65.54%	22.77%	88.31%
OK	24.30%	50.57%	25.13%	75.70%
OR	9.46%	61.06%	29.49%	90.54%
PA	11.55%	63.25%	25.20%	88.45%
RI	20.66%	56.00%	23.34%	79.34%
SC	5.72%	53.70%	40.57%	94.28%
SD	19.06%	70.25%	10.69%	80.94%
TN	10.06%	57.78%	32.16%	89.94%
TX	17.44%	51.37%	31.19%	82.56%
UT	10.12%	69.76%	20.12%	89.88%
VA	11.75%	53.08%	35.17%	88.25%
VT	10.64%	62.07%	27.28%	89.36%
WA	10.12%	68.30%	21.57%	89.88%
WI	16.15%	63.73%	20.11%	83.85%
WV	12.70%	55.94%	31.35%	87.30%
WY	18.81%	59.86%	21.33%	81.19%



**Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, March 2011**

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	17.90%	58.97%	23.13%	82.10%
AK	15.63%	51.88%	32.50%	84.38%
AL	16.73%	52.98%	30.29%	83.27%
AR	24.98%	51.16%	23.86%	75.02%
AZ	16.96%	60.43%	22.60%	83.04%
CA	14.08%	55.75%	30.17%	85.92%
CO	20.81%	63.04%	16.15%	79.19%
CT	22.95%	51.83%	25.22%	77.05%
DC	17.27%	45.81%	36.93%	82.73%
DE	21.88%	52.65%	25.47%	78.13%
FL	12.83%	59.59%	27.58%	87.17%
GA	16.13%	54.87%	28.99%	83.87%
HI	5.36%	59.59%	35.04%	94.64%
IA	26.43%	59.97%	13.60%	73.57%
ID	13.46%	67.50%	19.04%	86.54%
IL	29.35%	56.18%	14.47%	70.65%
IN	16.63%	66.57%	16.80%	83.37%
KS	26.06%	58.41%	15.54%	73.94%
KY	14.05%	60.60%	25.35%	85.95%
LA	23.90%	53.80%	22.30%	76.10%
MA	15.65%	61.52%	22.83%	84.35%
MD	14.69%	50.73%	34.57%	85.31%
ME	7.15%	73.35%	19.50%	92.85%
MI	13.83%	65.56%	20.61%	86.17%
MN	22.22%	63.89%	13.89%	77.78%
MO	27.42%	54.67%	17.91%	72.58%
MS	20.38%	56.63%	22.99%	79.62%
MT	18.67%	67.82%	13.51%	81.33%
NC	12.45%	59.70%	27.85%	87.55%
ND	25.40%	61.43%	13.18%	74.60%
NE	21.05%	62.03%	16.92%	78.95%
NH	22.27%	60.82%	16.90%	77.73%
NJ	19.30%	54.99%	25.71%	80.70%
NM	16.44%	62.42%	21.14%	83.56%
NV	15.84%	59.15%	25.01%	84.16%
NY	16.31%	57.30%	26.39%	83.69%
OH	14.39%	65.98%	19.63%	85.61%
OK	28.72%	50.28%	21.00%	71.28%
OR	11.92%	64.62%	23.46%	88.08%
PA	14.24%	62.87%	22.88%	85.76%
RI	26.23%	55.34%	18.43%	73.77%
SC	8.69%	61.55%	29.76%	91.31%
SD	24.92%	65.23%	9.85%	75.08%
TN	13.31%	59.16%	27.53%	86.69%
TX	20.25%	55.95%	23.81%	79.75%
UT	11.76%	71.41%	16.83%	88.24%
VA	14.85%	56.96%	28.19%	85.15%
VT	17.12%	60.21%	22.67%	82.88%
WA	12.75%	69.75%	17.51%	87.25%
WI	19.96%	61.37%	18.67%	80.04%
WV	15.81%	60.08%	24.11%	84.19%
WY	25.07%	59.78%	15.15%	74.93%



**Table 9: Medical Condition - Bladder and Bowel Status, March 2011**

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.80%	4.24%	56.31%	45.71%	10.09%
AK	11.72%	7.19%	59.22%	48.59%	4.53%
AL	4.89%	3.84%	58.81%	51.05%	12.16%
AR	4.83%	3.42%	55.23%	44.39%	6.41%
AZ	8.56%	7.40%	53.36%	46.54%	3.20%
CA	6.57%	5.48%	51.18%	46.16%	5.66%
CO	7.74%	5.89%	52.88%	40.77%	3.30%
CT	4.29%	3.06%	54.92%	43.42%	10.62%
DC	3.36%	2.86%	67.13%	62.11%	10.47%
DE	3.75%	2.63%	57.37%	47.37%	18.43%
FL	5.97%	4.83%	55.05%	49.75%	12.79%
GA	4.42%	3.21%	61.79%	56.13%	10.75%
HI	4.07%	2.99%	67.56%	59.93%	10.44%
IA	6.17%	3.93%	55.85%	30.28%	1.97%
ID	7.66%	5.62%	59.31%	40.50%	9.08%
IL	5.59%	4.15%	45.89%	34.05%	5.69%
IN	6.09%	3.86%	54.34%	42.08%	13.94%
KS	5.12%	3.64%	56.63%	36.14%	16.03%
KY	6.93%	4.74%	58.01%	48.68%	14.59%
LA	6.16%	3.58%	49.36%	46.45%	3.49%
MA	5.25%	3.66%	59.94%	47.55%	4.29%
MD	5.56%	4.17%	62.91%	54.50%	15.35%
ME	6.44%	4.59%	69.12%	49.04%	26.24%
MI	5.65%	4.41%	54.65%	42.39%	13.14%
MN	5.83%	4.26%	60.35%	37.63%	13.21%
MO	4.95%	3.41%	50.21%	37.46%	9.08%
MS	5.25%	3.04%	56.91%	50.16%	2.59%
MT	6.96%	5.06%	54.84%	35.68%	7.82%
NC	5.55%	3.69%	62.11%	56.46%	7.18%
ND	6.39%	4.56%	59.63%	34.29%	2.66%
NE	8.05%	5.17%	56.95%	34.19%	9.84%
NH	6.06%	4.70%	56.90%	37.26%	15.54%
NJ	5.15%	4.15%	52.66%	43.84%	9.31%
NM	6.15%	4.63%	55.78%	48.62%	7.89%
NV	9.08%	7.73%	50.36%	49.85%	6.13%
NY	5.13%	3.59%	60.21%	50.64%	4.65%
OH	5.97%	4.26%	52.63%	38.27%	14.56%
OK	5.56%	4.27%	49.53%	39.39%	9.28%
OR	9.59%	7.47%	57.02%	47.99%	9.24%
PA	6.00%	4.28%	62.05%	50.24%	22.18%
RI	4.04%	2.93%	51.15%	35.82%	4.97%
SC	4.40%	3.08%	66.26%	58.76%	6.45%
SD	6.19%	4.56%	58.39%	32.64%	9.38%
TN	5.80%	4.04%	59.00%	52.18%	16.15%
TX	5.56%	3.86%	58.78%	52.00%	6.69%
UT	8.15%	5.74%	57.39%	43.46%	11.20%
VA	5.20%	3.88%	60.39%	53.28%	11.57%
VT	7.75%	5.30%	61.52%	45.13%	15.57%
WA	8.06%	6.60%	57.86%	45.62%	8.42%
WI	6.90%	4.90%	56.91%	36.24%	23.41%
WV	6.91%	4.73%	61.07%	53.95%	4.02%
WY	6.92%	4.32%	52.24%	30.84%	18.94%

Source: CMS Form 672: F78, F94 - F99. \*As a percentage of those patients with a catheter at the time of the survey. \*\*Total patients in bladder and/or bowel training.  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 10: Medical Condition - Medications, March 2011**

State	Psychoactive Medication*	Antibiotics	Pain Management
US	65.28%	8.47%	28.55%
AK	65.47%	8.28%	37.50%
AL	70.33%	9.32%	40.85%
AR	65.53%	8.73%	23.00%
AZ	63.42%	13.86%	36.60%
CA	57.76%	8.43%	21.63%
CO	65.65%	9.31%	37.85%
CT	67.46%	7.62%	18.15%
DC	46.08%	5.72%	26.30%
DE	59.97%	7.09%	24.48%
FL	65.93%	10.51%	29.07%
GA	69.91%	8.20%	29.03%
HI	42.11%	7.43%	30.32%
IA	66.82%	8.85%	38.79%
ID	70.53%	10.69%	48.69%
IL	66.76%	7.40%	22.30%
IN	66.40%	8.44%	23.04%
KS	69.55%	9.10%	40.22%
KY	69.97%	9.30%	28.83%
LA	70.69%	9.01%	14.82%
MA	72.13%	7.28%	26.17%
MD	59.23%	8.49%	27.76%
ME	71.34%	7.37%	36.87%
MI	61.42%	7.78%	41.13%
MN	61.36%	6.64%	43.48%
MO	69.95%	7.78%	25.34%
MS	67.74%	9.35%	20.71%
MT	65.32%	5.61%	30.03%
NC	67.44%	9.72%	26.82%
ND	68.90%	7.37%	47.26%
NE	67.24%	8.70%	36.57%
NH	68.32%	7.92%	37.83%
NJ	57.15%	7.26%	30.45%
NM	61.61%	7.14%	29.14%
NV	59.84%	9.57%	19.58%
NY	58.59%	6.81%	31.11%
OH	68.70%	9.06%	21.30%
OK	65.31%	7.40%	30.79%
OR	63.07%	10.68%	38.61%
PA	66.73%	8.73%	31.28%
RI	69.95%	6.07%	19.97%
SC	64.27%	9.30%	27.94%
SD	66.18%	9.30%	39.72%
TN	73.62%	9.96%	38.14%
TX	68.19%	8.41%	20.52%
UT	71.48%	10.70%	34.01%
VA	64.35%	10.35%	25.77%
VT	65.73%	6.37%	31.17%
WA	63.40%	9.85%	36.03%
WI	64.38%	7.99%	43.93%
WV	65.45%	8.47%	15.87%
WY	67.27%	8.97%	39.65%

Source: CMS Form 672: F78, F133 - F139. \*Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 11: Medical Condition - Mobility, March 2011**

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.51%	59.67%	38.72%	3.12%	0.51%	27.73%
AK	5.47%	65.00%	36.88%	1.25%	0.47%	61.56%
AL	6.13%	61.81%	31.24%	2.46%	0.45%	39.67%
AR	3.94%	58.27%	38.92%	4.15%	0.87%	16.82%
AZ	4.15%	64.56%	33.41%	1.81%	0.14%	24.95%
CA	5.32%	58.63%	37.13%	5.84%	1.93%	27.97%
CO	1.82%	56.66%	41.51%	3.37%	0.35%	24.20%
CT	1.88%	52.07%	53.37%	2.12%	0.20%	16.06%
DC	2.39%	57.78%	42.10%	1.47%	0.15%	27.85%
DE	2.98%	62.08%	32.86%	2.23%	0.74%	30.61%
FL	3.36%	67.92%	30.44%	3.42%	0.35%	21.17%
GA	5.91%	61.91%	31.19%	3.08%	0.22%	33.43%
HI	5.85%	66.61%	29.42%	4.49%	1.86%	47.32%
IA	0.97%	48.05%	58.52%	1.77%	0.15%	32.62%
ID	2.96%	65.18%	34.29%	2.89%	0.67%	32.66%
IL	1.75%	53.72%	49.25%	2.88%	0.47%	26.77%
IN	2.55%	61.12%	40.48%	2.04%	0.24%	22.42%
KS	1.38%	53.44%	44.83%	0.60%	0.07%	28.09%
KY	6.42%	61.48%	32.29%	5.01%	0.74%	24.43%
LA	6.71%	56.25%	35.49%	6.71%	1.16%	33.89%
MA	1.97%	49.11%	52.27%	3.02%	0.28%	18.47%
MD	5.31%	63.03%	31.25%	3.24%	0.47%	24.15%
ME	3.61%	54.40%	53.30%	0.86%	0.19%	31.54%
MI	2.58%	65.86%	33.04%	3.29%	0.46%	23.78%
MN	1.05%	58.62%	48.38%	1.61%	0.17%	27.12%
MO	1.65%	57.99%	41.18%	2.50%	0.31%	20.82%
MS	6.05%	63.72%	27.57%	6.02%	0.59%	43.14%
MT	1.99%	45.55%	50.01%	2.54%	0.47%	38.87%
NC	6.29%	59.49%	30.97%	3.19%	0.19%	31.47%
ND	1.63%	59.58%	46.53%	1.69%	0.28%	38.02%
NE	1.27%	55.68%	46.17%	1.12%	0.41%	34.91%
NH	2.43%	49.83%	55.57%	0.80%	0.03%	30.30%
NJ	2.99%	62.66%	37.59%	2.98%	0.48%	16.38%
NM	2.92%	61.57%	31.16%	2.83%	0.29%	30.09%
NV	6.78%	62.63%	31.16%	2.79%	0.19%	27.40%
NY	1.81%	62.12%	42.16%	3.04%	0.60%	35.76%
OH	3.10%	54.59%	45.03%	3.84%	0.52%	32.90%
OK	4.67%	51.88%	34.15%	2.53%	0.51%	23.41%
OR	5.96%	60.58%	34.77%	2.66%	0.41%	31.89%
PA	3.21%	61.95%	34.84%	2.55%	0.37%	23.33%
RI	2.38%	41.50%	56.27%	0.95%	0.06%	23.93%
SC	4.80%	69.58%	26.01%	4.53%	0.17%	35.89%
SD	0.93%	55.87%	45.27%	1.09%	0.17%	43.43%
TN	5.51%	62.60%	34.37%	4.90%	0.52%	25.77%
TX	4.76%	63.99%	30.15%	2.38%	0.37%	27.75%
UT	3.23%	52.69%	44.48%	4.30%	0.52%	30.25%
VA	4.87%	63.79%	30.97%	1.42%	0.10%	30.01%
VT	3.62%	57.18%	47.92%	1.14%	0.07%	30.90%
WA	4.03%	65.69%	33.16%	1.46%	0.33%	31.30%
WI	1.67%	60.13%	43.81%	1.05%	0.16%	27.42%
WV	4.81%	63.77%	28.09%	3.17%	0.23%	39.13%
WY	1.52%	47.10%	51.42%	2.10%	0.21%	31.04%

Source: CMS Form 672: F78, F100 - F106. \*Percentage of patients that ambulate independently or w/assistive devices. \*\*As a percentage of patients physically restrained.  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 12: Medical Condition - Mental Status, March 2011**

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	2.67%	50.55%	24.62%	47.37%	28.08%
AK	2.34%	53.75%	14.69%	38.28%	21.88%
AL	4.83%	49.29%	29.24%	53.28%	23.86%
AR	4.37%	40.10%	21.38%	42.85%	26.09%
AZ	1.29%	46.03%	20.17%	42.45%	27.87%
CA	2.43%	37.65%	22.77%	39.58%	25.86%
CO	1.91%	54.19%	18.56%	47.09%	32.36%
CT	2.29%	44.03%	19.09%	49.86%	22.28%
DC	1.47%	28.58%	22.29%	40.32%	21.71%
DE	2.36%	44.12%	21.25%	49.23%	30.98%
FL	1.49%	48.64%	26.34%	47.01%	26.61%
GA	4.37%	62.07%	26.87%	50.19%	38.47%
HI	2.89%	40.95%	6.32%	54.00%	31.49%
IA	3.84%	61.55%	20.81%	49.86%	31.47%
ID	2.80%	59.84%	20.87%	45.21%	34.93%
IL	2.33%	55.78%	29.16%	42.07%	33.95%
IN	4.04%	47.09%	20.64%	48.70%	22.35%
KS	2.28%	60.80%	27.06%	47.68%	32.20%
KY	3.73%	49.56%	29.67%	51.52%	27.21%
LA	3.19%	57.22%	36.47%	43.81%	32.08%
MA	1.61%	49.86%	25.05%	53.76%	32.46%
MD	1.97%	40.80%	18.49%	44.72%	19.09%
ME	2.24%	64.99%	22.37%	56.86%	38.94%
MI	1.73%	44.55%	20.23%	56.08%	21.79%
MN	1.29%	57.15%	23.67%	45.28%	33.21%
MO	4.13%	52.50%	27.19%	44.45%	28.15%
MS	3.55%	57.22%	33.74%	51.19%	28.26%
MT	2.80%	58.67%	17.56%	43.42%	27.35%
NC	2.63%	50.84%	22.82%	46.15%	26.34%
ND	2.95%	60.91%	30.69%	54.87%	24.52%
NE	3.53%	62.82%	24.76%	42.86%	32.49%
NH	2.03%	61.58%	27.63%	57.19%	30.72%
NJ	3.11%	35.01%	18.91%	43.72%	22.15%
NM	1.54%	52.52%	22.56%	47.44%	29.57%
NV	2.15%	38.59%	19.58%	36.48%	20.64%
NY	1.98%	40.97%	19.88%	48.02%	23.99%
OH	2.75%	67.86%	30.69%	46.63%	35.69%
OK	3.51%	45.04%	23.83%	40.60%	22.60%
OR	2.46%	41.97%	17.57%	43.60%	27.94%
PA	2.12%	51.51%	22.58%	49.56%	25.99%
RI	1.53%	45.12%	19.82%	49.61%	21.59%
SC	2.86%	45.49%	23.62%	59.42%	30.40%
SD	2.48%	62.09%	24.31%	50.81%	31.63%
TN	2.71%	53.85%	31.88%	52.71%	29.36%
TX	3.30%	54.95%	31.63%	48.78%	28.73%
UT	3.91%	57.09%	19.73%	40.91%	39.55%
VA	3.75%	51.74%	19.86%	46.19%	27.37%
VT	1.48%	62.52%	19.81%	51.40%	34.89%
WA	3.58%	58.34%	21.36%	47.21%	29.34%
WI	1.35%	53.42%	19.29%	49.16%	26.86%
WV	4.88%	58.97%	36.16%	55.83%	29.94%
WY	1.61%	56.07%	15.40%	51.42%	33.02%

Source: CMS Form 672: F78, F108 - F114  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 13: Medical Condition - Weight Loss and Communication, March 2011**

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.47%	3.20%	3.69%
AK	12.03%	3.13%	11.88%
AL	10.00%	0.32%	2.98%
AR	8.99%	0.46%	2.39%
AZ	8.37%	6.03%	2.52%
CA	6.71%	12.12%	7.78%
CO	7.89%	2.46%	3.35%
CT	4.49%	3.07%	1.87%
DC	4.09%	1.04%	0.70%
DE	7.51%	1.61%	2.88%
FL	5.13%	4.77%	2.72%
GA	9.13%	1.24%	3.27%
HI	10.01%	10.47%	18.23%
IA	9.13%	0.39%	4.49%
ID	7.43%	1.49%	4.33%
IL	8.39%	2.59%	4.36%
IN	8.35%	0.82%	3.16%
KS	8.50%	0.71%	4.57%
KY	7.21%	0.52%	2.55%
LA	10.08%	1.25%	4.37%
MA	5.19%	4.76%	2.28%
MD	6.27%	2.03%	3.98%
ME	10.11%	0.96%	3.64%
MI	7.65%	1.18%	3.20%
MN	7.28%	0.76%	3.70%
MO	7.81%	0.49%	2.29%
MS	10.47%	0.61%	4.16%
MT	8.86%	0.47%	10.46%
NC	8.70%	0.80%	3.20%
ND	8.88%	0.53%	6.70%
NE	8.90%	0.54%	6.97%
NH	6.99%	1.14%	4.78%
NJ	5.02%	5.93%	2.60%
NM	8.09%	4.76%	4.83%
NV	7.67%	3.63%	4.18%
NY	5.15%	7.17%	2.42%
OH	8.63%	0.78%	3.35%
OK	7.70%	0.77%	2.89%
OR	7.78%	1.90%	5.64%
PA	7.76%	1.51%	1.75%
RI	6.64%	3.73%	2.76%
SC	8.59%	0.59%	3.47%
SD	10.14%	0.52%	6.99%
TN	8.72%	0.64%	3.61%
TX	7.32%	4.17%	3.69%
UT	7.29%	3.09%	5.25%
VA	8.73%	1.37%	2.60%
VT	6.58%	0.79%	8.10%
WA	8.06%	2.28%	7.12%
WI	7.97%	0.50%	2.74%
WV	10.13%	0.29%	6.23%
WY	7.78%	0.82%	7.37%

Source: CMS Form 672: F78, F140 - F142  
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 14: Medical Condition - Advance Directives and Vaccinations, March 2011**

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	60.31%	70.62%	63.06%
AK	68.13%	78.59%	73.28%
AL	41.35%	66.56%	63.80%
AR	65.12%	82.53%	75.94%
AZ	71.80%	67.46%	63.91%
CA	55.45%	68.29%	60.14%
CO	78.11%	72.88%	69.04%
CT	66.53%	74.64%	61.67%
DC	39.86%	74.58%	54.00%
DE	57.91%	73.16%	66.42%
FL	57.88%	57.89%	46.45%
GA	50.51%	70.04%	66.48%
HI	70.71%	86.75%	88.40%
IA	81.17%	81.78%	76.60%
ID	73.33%	71.97%	73.37%
IL	52.48%	63.30%	48.69%
IN	67.50%	69.86%	58.99%
KS	72.53%	77.16%	69.17%
KY	59.41%	72.09%	64.23%
LA	45.55%	67.20%	71.00%
MA	72.34%	77.37%	66.97%
MD	54.14%	68.55%	57.95%
ME	78.40%	79.17%	73.68%
MI	72.73%	65.66%	60.55%
MN	67.14%	78.24%	75.40%
MO	59.77%	70.32%	53.19%
MS	46.69%	70.51%	77.47%
MT	71.20%	67.47%	66.96%
NC	54.95%	67.74%	64.94%
ND	76.27%	85.05%	80.43%
NE	74.53%	72.84%	73.71%
NH	83.82%	78.99%	78.47%
NJ	42.91%	74.00%	65.27%
NM	60.66%	58.64%	53.31%
NV	38.78%	52.13%	50.49%
NY	62.02%	80.09%	73.42%
OH	61.36%	63.64%	52.53%
OK	42.50%	68.99%	47.73%
OR	60.46%	64.97%	61.46%
PA	60.17%	75.44%	62.83%
RI	69.47%	63.38%	57.79%
SC	59.59%	74.34%	77.74%
SD	78.05%	83.03%	79.50%
TN	71.37%	70.44%	62.17%
TX	49.07%	65.46%	61.67%
UT	78.01%	66.66%	64.96%
VA	50.46%	72.55%	61.04%
VT	69.72%	75.03%	79.33%
WA	69.73%	67.50%	64.73%
WI	84.70%	83.93%	85.56%
WV	73.82%	61.55%	57.17%
WY	80.86%	76.74%	71.80%

Source: CMS Form 672: F78, F143 - F145  
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 15: Medical Condition - Skin Integrity, March 2011**

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.57%	3.68%	78.25%	5.99%
AK	9.06%	6.72%	82.97%	12.97%
AL	5.71%	3.49%	86.75%	3.69%
AR	5.77%	2.64%	79.76%	4.68%
AZ	7.39%	4.51%	75.18%	6.25%
CA	7.51%	5.23%	65.36%	5.92%
CO	5.08%	2.37%	81.26%	4.29%
CT	4.84%	2.61%	60.39%	4.62%
DC	7.07%	4.09%	88.26%	3.17%
DE	5.18%	2.68%	79.07%	6.50%
FL	7.26%	4.99%	81.61%	5.56%
GA	6.75%	3.57%	79.76%	6.29%
HI	5.39%	2.84%	88.24%	11.45%
IA	4.19%	1.55%	81.65%	6.79%
ID	4.75%	2.73%	80.28%	8.90%
IL	6.62%	3.74%	80.51%	6.13%
IN	6.23%	2.91%	80.59%	4.14%
KS	4.93%	2.25%	70.98%	7.63%
KY	6.80%	3.30%	79.00%	4.67%
LA	7.75%	3.29%	80.98%	7.20%
MA	5.07%	2.51%	80.38%	3.88%
MD	8.40%	4.75%	82.08%	5.11%
ME	6.35%	2.96%	80.55%	10.14%
MI	6.44%	4.16%	80.21%	5.87%
MN	4.22%	2.08%	81.43%	9.26%
MO	5.81%	2.63%	71.41%	5.36%
MS	6.68%	3.39%	85.44%	5.24%
MT	5.18%	2.25%	84.85%	8.17%
NC	7.61%	3.78%	77.79%	5.56%
ND	4.33%	1.88%	87.43%	7.26%
NE	4.72%	1.92%	88.84%	7.81%
NH	4.28%	2.26%	89.38%	12.74%
NJ	7.31%	4.77%	70.89%	4.37%
NM	6.78%	3.38%	77.76%	5.56%
NV	8.22%	6.04%	71.55%	6.21%
NY	7.75%	4.93%	76.25%	6.97%
OH	5.88%	3.19%	86.67%	8.14%
OK	6.05%	2.70%	52.89%	4.01%
OR	8.33%	4.08%	77.42%	6.98%
PA	6.98%	3.72%	86.63%	4.90%
RI	5.04%	2.66%	75.23%	6.59%
SC	7.33%	3.79%	85.56%	6.09%
SD	4.67%	2.07%	86.03%	7.51%
TN	6.49%	3.58%	80.89%	4.53%
TX	7.05%	3.43%	74.89%	4.79%
UT	5.83%	3.07%	84.91%	9.11%
VA	7.39%	4.36%	77.87%	6.00%
VT	4.93%	2.27%	81.54%	8.96%
WA	6.84%	3.84%	79.08%	9.65%
WI	5.14%	2.59%	80.13%	6.84%
WV	7.29%	4.23%	87.86%	10.88%
WY	4.78%	2.31%	72.83%	5.27%

Source: CMS Form 672: F78, F115 - F118  
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 16: Medical Condition - Special Care, March 2011**

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.66%	0.12%	0.36%	1.82%	2.01%
AK	0.16%	0.00%	0.47%	3.13%	3.91%
AL	5.16%	0.05%	0.21%	1.70%	1.11%
AR	4.04%	0.06%	0.18%	1.12%	1.01%
AZ	6.90%	0.09%	0.25%	2.94%	4.34%
CA	2.93%	0.09%	0.15%	2.46%	2.60%
CO	5.87%	0.07%	0.12%	1.07%	1.85%
CT	2.10%	0.11%	0.31%	1.40%	1.44%
DC	2.16%	0.08%	0.81%	3.63%	1.39%
DE	8.13%	0.10%	0.25%	2.01%	1.61%
FL	7.16%	0.25%	0.29%	1.87%	2.30%
GA	5.44%	0.07%	0.34%	2.32%	1.73%
HI	2.06%	0.15%	0.18%	1.75%	2.35%
IA	6.16%	0.06%	0.37%	1.00%	1.55%
ID	3.33%	0.14%	0.37%	1.67%	3.33%
IL	4.06%	0.14%	0.25%	1.68%	1.95%
IN	4.72%	0.13%	0.46%	1.68%	2.50%
KS	5.75%	0.08%	0.43%	0.96%	0.94%
KY	3.28%	0.10%	0.38%	1.48%	1.57%
LA	5.64%	0.08%	0.46%	2.11%	3.70%
MA	4.88%	0.12%	0.24%	1.29%	1.26%
MD	2.54%	0.08%	0.23%	3.16%	2.98%
ME	5.50%	0.08%	0.30%	1.19%	1.43%
MI	4.76%	0.12%	0.21%	1.89%	2.09%
MN	3.36%	0.11%	0.70%	1.24%	1.87%
MO	7.24%	0.11%	0.23%	1.33%	1.43%
MS	2.56%	0.08%	0.70%	2.17%	1.42%
MT	2.15%	0.06%	0.16%	0.98%	2.60%
NC	3.74%	0.10%	0.43%	2.14%	2.57%
ND	2.73%	0.05%	0.53%	1.37%	1.37%
NE	5.06%	0.11%	0.43%	1.09%	1.77%
NH	3.92%	0.07%	0.35%	0.93%	1.14%
NJ	4.10%	0.16%	0.33%	2.16%	1.77%
NM	5.81%	0.04%	0.23%	1.82%	3.92%
NV	4.99%	0.13%	0.25%	1.92%	5.49%
NY	1.56%	0.11%	0.85%	2.08%	1.41%
OH	6.01%	0.13%	0.50%	1.97%	2.28%
OK	10.63%	0.07%	0.15%	1.17%	1.38%
OR	3.94%	0.09%	0.27%	1.54%	3.02%
PA	5.28%	0.13%	0.42%	1.56%	1.66%
RI	6.44%	0.12%	0.22%	1.13%	2.34%
SC	5.94%	0.06%	0.13%	2.06%	1.23%
SD	2.96%	0.02%	0.63%	1.09%	1.35%
TN	4.56%	0.26%	0.21%	1.63%	1.75%
TX	7.35%	0.14%	0.27%	2.19%	2.22%
UT	7.40%	0.15%	0.21%	1.55%	3.93%
VA	3.16%	0.14%	0.35%	2.03%	1.81%
VT	0.93%	0.10%	0.34%	0.96%	1.62%
WA	2.83%	0.19%	0.37%	1.74%	3.10%
WI	4.03%	0.14%	0.43%	1.35%	1.68%
WV	3.11%	0.06%	0.36%	1.09%	4.37%
WY	0.99%	0.16%	0.08%	0.58%	1.11%

Source: CMS Form 672: F78, F119 - F123  
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 16: Medical Condition - Special Care, March 2011**

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	14.37%	1.16%	4.85%	1.45%	21.59%
AK	13.75%	1.41%	8.28%	2.34%	27.97%
AL	16.30%	0.45%	6.53%	0.90%	22.23%
AR	12.58%	0.41%	4.61%	1.15%	18.29%
AZ	17.57%	1.94%	3.48%	2.50%	25.18%
CA	13.12%	3.77%	7.60%	4.42%	24.24%
CO	29.47%	0.65%	3.03%	0.72%	16.39%
CT	12.71%	0.52%	2.47%	0.60%	18.59%
DC	8.85%	1.85%	4.33%	2.01%	26.03%
DE	13.10%	0.82%	3.99%	1.19%	20.71%
FL	16.42%	0.93%	5.71%	1.25%	24.71%
GA	13.51%	0.52%	5.98%	0.95%	23.60%
HI	8.43%	2.66%	11.11%	4.02%	15.55%
IA	13.46%	0.49%	3.07%	0.67%	14.59%
ID	23.53%	0.80%	4.13%	0.89%	24.17%
IL	11.20%	1.02%	4.90%	1.19%	22.96%
IN	14.42%	0.89%	3.85%	0.97%	22.12%
KS	14.70%	0.31%	2.86%	0.46%	18.21%
KY	18.46%	1.06%	6.56%	2.10%	23.59%
LA	9.26%	1.05%	7.07%	1.13%	20.11%
MA	11.49%	0.62%	2.41%	0.72%	17.73%
MD	12.67%	1.32%	4.06%	1.74%	24.54%
ME	12.81%	0.27%	2.62%	0.20%	19.20%
MI	14.05%	1.03%	4.20%	1.19%	22.15%
MN	13.33%	0.58%	3.53%	0.53%	18.48%
MO	13.58%	0.35%	2.84%	0.55%	21.13%
MS	12.20%	0.65%	8.70%	0.67%	23.54%
MT	19.26%	0.23%	2.89%	0.31%	17.26%
NC	14.05%	0.73%	5.14%	0.99%	24.21%
ND	14.99%	0.43%	4.39%	0.37%	18.29%
NE	16.00%	1.01%	4.94%	1.10%	16.97%
NH	14.12%	0.27%	2.58%	0.45%	16.37%
NJ	12.91%	1.59%	5.04%	1.84%	20.04%
NM	24.47%	0.43%	4.33%	0.66%	18.14%
NV	22.20%	2.56%	7.08%	3.32%	23.93%
NY	12.60%	2.02%	5.62%	2.53%	19.78%
OH	16.40%	1.09%	5.50%	1.24%	24.82%
OK	14.73%	0.67%	2.89%	1.03%	18.17%
OR	12.57%	0.81%	3.25%	0.94%	20.32%
PA	17.12%	1.12%	3.58%	1.35%	22.70%
RI	10.93%	0.45%	2.35%	0.53%	17.35%
SC	11.44%	0.68%	6.30%	0.94%	19.33%
SD	14.71%	0.28%	2.99%	0.37%	17.43%
TN	16.24%	0.56%	3.74%	0.93%	23.60%
TX	13.40%	0.87%	5.29%	1.08%	20.94%
UT	27.39%	1.31%	3.31%	1.42%	23.41%
VA	15.62%	1.00%	4.75%	1.37%	23.70%
VT	14.12%	0.45%	3.20%	0.83%	17.12%
WA	14.51%	1.07%	4.80%	1.25%	23.02%
WI	14.51%	0.53%	3.09%	0.54%	18.72%
WV	17.64%	0.40%	5.69%	0.51%	24.34%
WY	33.51%	0.12%	2.22%	0.33%	16.76%

Source: CMS Form 672: F78, F124 - F128  
LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association



**Table 16: Medical Condition - Special Care, March 2011**

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.78%	33.27%	24.68%	8.16%
AK	8.91%	35.16%	19.69%	5.31%
AL	8.30%	37.96%	21.17%	7.30%
AR	5.25%	31.48%	17.19%	5.39%
AZ	4.94%	34.03%	27.81%	7.00%
CA	11.52%	40.33%	23.83%	5.19%
CO	2.46%	28.67%	25.10%	11.15%
CT	3.02%	34.57%	22.93%	8.32%
DC	10.66%	31.05%	19.27%	2.16%
DE	4.51%	35.47%	27.41%	6.08%
FL	7.04%	36.29%	32.60%	8.00%
GA	7.01%	38.61%	20.95%	5.65%
HI	11.47%	54.44%	18.54%	7.43%
IA	1.87%	26.49%	15.00%	15.11%
ID	2.84%	33.05%	29.79%	13.03%
IL	4.76%	26.90%	21.44%	5.20%
IN	4.37%	28.30%	29.33%	8.57%
KS	2.18%	28.57%	19.10%	10.76%
KY	7.06%	36.88%	26.68%	11.66%
LA	7.90%	26.88%	25.86%	1.49%
MA	3.04%	35.47%	24.85%	11.88%
MD	7.60%	34.01%	25.93%	4.89%
ME	1.82%	41.81%	26.02%	15.07%
MI	5.37%	29.81%	28.14%	11.04%
MN	2.17%	23.07%	19.96%	11.72%
MO	3.29%	29.20%	21.65%	8.21%
MS	9.20%	35.73%	28.27%	4.23%
MT	2.37%	25.61%	15.74%	10.32%
NC	6.48%	38.67%	27.98%	8.76%
ND	2.22%	26.96%	12.61%	19.93%
NE	3.49%	25.37%	21.03%	13.30%
NH	1.55%	32.26%	26.19%	13.70%
NJ	6.65%	34.32%	24.48%	4.51%
NM	2.75%	37.96%	24.03%	6.26%
NV	8.70%	31.98%	29.55%	4.29%
NY	7.01%	32.04%	20.79%	7.77%
OH	5.18%	30.27%	27.00%	9.96%
OK	3.96%	28.39%	15.71%	3.05%
OR	3.87%	36.29%	29.43%	10.28%
PA	4.69%	36.59%	27.78%	12.21%
RI	2.54%	28.73%	23.16%	6.28%
SC	7.39%	40.08%	25.21%	7.19%
SD	1.35%	28.14%	15.32%	15.70%
TN	5.61%	40.30%	27.20%	7.16%
TX	6.83%	32.35%	25.87%	3.99%
UT	2.88%	31.26%	31.82%	5.76%
VA	6.03%	35.70%	25.54%	6.60%
VT	1.96%	34.55%	27.18%	12.50%
WA	4.56%	35.42%	30.82%	12.50%
WI	2.72%	28.98%	25.68%	15.35%
WV	4.34%	40.14%	27.39%	9.24%
WY	1.56%	30.71%	21.28%	13.63%

Source: CMS Form 672: F78, F129 - F132  
 LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

## *Glossary of Terms for use with CASPER data*

**Activities of Daily Living (ADL)** are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

**Advance Directive (Health Care)** is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

**Certified Beds** This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

**Certified Nursing Assistants (CNAs)** provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

**Hospital-based** - The nursing home is affiliated with a hospital.

**Medicare** is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

**Medicaid** is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.

**Multifacility** - Multi-nursing home chains have two or more homes under one ownership or operation

**Occupancy** This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

**Ownership** - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

**Patients in Certified Beds** This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

**Primary Payor** is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

**Registered Nurses and Licensed Practical and Vocational Nurses** - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

**Restraint** is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



**American Health Care Association**

1201 L Street, NW  
Washington, DC, 20005  
T: (202) 842-4444  
Email: [research@ahca.org](mailto:research@ahca.org)